	Application No.	Applicant(s)
Notice of Allowability	10/079 705	OHNO ET AL.
	10/078,705 Examiner	Art Unit
	0.1.1.7.	0004
	Gelek Topgyal	2621
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>amendment filed 1/8/2007</u> .		
2. The allowed claim(s) is/are 11-14 (renumbered as 1-4, respectively).		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No. <u>08/500,261</u> .		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		•
Attachment(s)  1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
·	Paper No./Mail Da 7.   Examiner's Amend	te
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>		•
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of biological material	9.  Other	
	•	

Application/Control Number: 10/078,705 Page 2

Art Unit: 2621

## **DETAILED ACTION**

## Terminal Disclaimer

1. The terminal disclaimer filed on 1/8/2007 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of US Patent 5,761,371, US Patent 6,038,366 and US 6,389,217 has been reviewed and is accepted. The terminal disclaimer has been recorded.

## **REASONS FOR ALLOWANCE**

2. The following is an examiner's statement of reasons for allowance: Independent claim 11 identifies the uniquely distinct features for "a recorder/reproducer which records/reproduces a video signal and a recording media identification signal including an identification signal unique to said recording/reproducing apparatus on/from said recording media" and "a read unit which read out from said memory a record list corresponding to a recording media identification signal recorded on a recording media loaded into said recording/reproducing apparatus", and independent claim 13 identifies the uniquely distinct features for "a recorder/reproducer which records/reproduces a video signal and a recording media identification signal including an identification signal unique to said recording/reproducing apparatus on/from said recording media" and "a red unit which reads out, when a recording media is loaded into said recording/reproducing apparatus, from said memory a record list corresponding to the recording media identification signal recorded on the recording media thus loaded."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2621

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gelek Topgyal whose telephone number is 571-272-8891. The examiner can normally be reached on 8:30am -5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thai Tran can be reached on 571-272-7382. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

GT 1/29/2007 SUPERUS OGY CENTER 2800